

On page 3, line 21, change "or in" to --and--;
 On page 3, line 22, after "show" change "treadmills" to --treadmill--;
 On page 4, line 14, change "in a" to read --and in--;
 On page 6, line 14, after "portion of" change "a" to --an--;
 On page 8, line 5, after "running" insert a --,(comma)--;
 On page 8, line 9, after "12" insert a --,(comma)--;
 On page 8, line 16, after "also" change "been" to --be--;
 On page 8, line 21, after "of" insert --the drive--;
 On page 8, line 22, delete the comma after "FIG. 1";
 On page 8, line 29, delete the comma after "4)";
 On page 9, line 15, after "in" insert --the--;
 On page 10, line 5, change "foot means" to --feet means--;
 On page 10, line 7, change "62" to --59--;
 On page 10, line 8, change "63" to --63D--;
 On page 10, line 12, change "67" to --67W--;
 On page 10, line 13, after "tread" change "deck" to --base--;
 On page 10, line 17, change "65" (both occurrences) to --65L--;
 On page 10, line 17, change "67" (both occurrences) to --67W--;
 On page 10, line 21, change "62" to --59--;
 On page 11, line 1, change "67" to --67W--;
 On page 11, line 14, delete "74";
 On page 11, line 14, change "76" to --77--;
 On page 11, line 15, change "(incross section)" to --(in cross section),--;
 On page 12, line 1, after "80" insert --,(comma) 90--;
 On page 12, line 26, after "114" insert --and--;
 On page 13, line 23, after "tread" change "deck" to --base--;
 On page 14, line 5, insert a comma after "hazardous";
 On page 14, line 16, after "left" change "leg" to --foot--;
 On page 14, line 17, after "right" change "leg" to --foot-- (both occurrences);
 On page 14, line 18, after "left" change "leg" to --foot--;

On page 14, line 22, change "legs 134 to --feet 34--;
 On page 15, line 28, change "264" to --265--;
 On page 16, line 3, change "264" to --265--;
 On page 16, line 5, change "264" to --265--;
 On page 16, line 6, change "motor 264" to --motor 265--;
 On page 16, line 17, after "seen" insert --in--;
 On page 16, line 17, after "right" change "leg" to --foot--;
 On page 16, line 18, after "left" change "leg 166" to --foot 160--;
 On page 16, line 24, after "cantilever" insert --320--;
 On page 16, line 25, change "324" to --325--;
 On page 17, line 4, change "cylinder" to --spring--;
 On page 17, line 9, change "shaft" to --cross member--;
 On page 17, line 16, change "shaft" to --extension--;
 On page 17, line 18, change "cylinder" to --spring--;
 On page 17, line 19, change "cylinder" to --spring--;
 On page 17, line 22, at the beginning of the line, change "A" to --In--;
 On page 17, line 26, after "extension" change "324" to --322--;
 On page 18, line 5, change "support" to --upright--;
 On page 18, line 15, after "apertures" insert --363--;
 On page 18, line 16, after "clamp" insert --368--;
 On page 18, line 17, change "clamping structure" to --top clamp--;
 On page 18, line 22, change "cross member 104" to --support bar 104--; *Max 002*
 On page 18, line 24, change "cross member 104" to --support bar 104--;
 On page 19, line 1, delete "392";
 On page 19, line 2, delete "392";
 On page 19, line 6, delete "392";
 On page 19, line 9, delete "392";
 On page 19, line 24, at the beginning of the line, change "spring" to --sponge--;
 On page 19, line 25, change "affected" to --effected--;

On page 19, line 28, insert a comma after "and" and change "particular" to --particularly--;

On page 20, line 1, delete "392";

On page 20, line 3, change "latch member" to --bar--;

On page 20, line 5, after "position" insert --shown--;

On page 20, line 6, change "latch member" to --bar--;

On page 20, line 9, delete "392";

On page 20, line 10, delete "392";

On page 20, line 11, change "spring means" to --sponge--; thereafter delete "or" and delete the comma after "406";

On page 20, line 14, delete "392" and insert a --,(comma)--;

On page 20, line 29, after "gravity" change "446" to --440--;

On page 21, line 1, change "center of gravity of the overall treadmill 458" to read --center of gravity 458 of the overall treadmill--;

On page 21, line 10, after "base" change "436" to --434--;

On page 21, line 17, delete "446";

On page 22, line 11, after "shown" insert --in--;

On page 22, line 24, after "course" insert a --,(comma)--;

On page 23, line 8, after "114" insert a --,(comma)-- and change "FIG. 4" to --FIG. 1--;

On page 23, line 16, change "478" to --477--;

On page 23, line 19, after "handle" change "485" to --484--;

On page 23, line 24, change "480" to --481--;

On page 24, line 1, after "tread" change "deck" to --base--;

On page 24, line 9, after "the" change "roller" to --front pulley--;

On page 24, line 10, after "rear" change "roller" to --pulley--;

On page 24, line 16, after "4," insert --it--;

On page 24, line 18, change "FIG." to --FIGS.--;

On page 25, line 1, change "FIGS. 13 and 14," to --FIGS. 12 and 13,--;

On page 25, line 12, change "axel" to --axle--;